



euro It



euro It | HYBRIDS

Euro LT Hybrids General Setup Instructions

Using Your Setup Instructions

The Euro LT Hybrids Setup Instructions are created specifically for your configuration. They are laid out sequentially in levels, including exploded views, and a logical series of detailed steps to assemble the main structure and components. We encourage you to study the instructions **before** attempting to assemble your exhibit.


Cleaning and Packing Your Display

- 1) When cleaning laminate countertops or panels use mild cleansers and a soft material such as cotton.
- 2) Keep all display components away from extreme heat and long exposure to sunlight to avoid warping and fading.
- 3) Retain all packing material. It will make re-packing much easier and will reduce the likelihood of shipping damage.


Level 1 = Blue
 Level 2 = Red
 Level 3 = Green
 Level 4 = Black

Color Code


The top clip is color coded to distinguish the level. The color coded clip also contains the numbered label




Each component has 2 clips, the lower clip is ALWAYS black.




Components connect together by aligning them and sliding downward connecting clips together.



Configurations are assembled from left to right, usually starting with #1 and following the numbered sequence.





The first level of components contains panel locks that are located at the top of the panel for extra stability and a seamless connection. When disassembling panels, twist top connection slightly and lift right panel upward.



866.652.2100

Item Number	Description	Item Number	Description
1	38" h Curved Door Panel	19	23" w x 47.5" h Flat Slatwall Panel
2	38" h 90° Connector	20	47.5" h 90° Connector
3	38" h Curved Panel	21	19" w x 47.5" h Flat Panel
4	38" h T-Connector	22	38" h T-Connector
5	19" w x 47.5" h Flat Panel	23	38" h Curved Door Panel
6	47.5" h 90° Connector	24	38" h 90° Connector
7	23" w x 47.5" h Flat Slatwall Panel	25	38" h Curved Panel
8	23" w x 47.5" h Flat Slatwall Panel		
9	23" w x 47.5" h Flat Slatwall Panel		
10	47.5" h T-Connector		
11	19" w x 47.5" h Flat Panel		
12	47.5" h End Cap		
13	38" w x 47.5" h Flat Panel		
14	47.5" h T-Connector		
15	19" w x 47.5" h Flat Panel		
16	47.5" h End Cap		
17	23" w x 47.5" h Flat Slatwall Panel		
18	23" w x 47.5" h Flat Slatwall Panel		




Steps:
Connect panels together in numerical order as shown in illustrations.



866.652.2100

Item Number	Description	Item Number	Description
2	42" h End Cap	19	23" w x 47.5" h Flat Slatwall Panel
3	42" h Curved Light Box	20	47.5" h 90° Connector
4	42" h 90° Connector	21	19" w x 47.5" h Flat Panel
5	19" w x 47.5" h Flat Panel	22	42" h 90° Connector
6	47.5" h 90° Connector	24	42" h End Cap
7	23" w x 47.5" h Flat Slatwall Panel	25	42" h Curved Light Box
8	23" w x 47.5" h Flat Slatwall Panel		
9	23" w x 47.5" h Flat Slatwall Panel		
10	47.5" h T-Connector		
11	19" w x 47.5" h Flat Panel		
12	32.5" h End Cap		
13	38" w x 47.5" h Flat Panel		
14	47.5" h T-Connector		
15	19" w x 47.5" h Flat Panel		
16	32.5" h End Cap		
17	23" w x 47.5" h Flat Slatwall Panel		
18	23" w x 47.5" h Flat Slatwall Panel		

Steps:
Connect panels together in numerical order as shown in illustrations.



Lightbox Assembly

Step 1: Making sure that velcro is facing to the front of the booth bend reflector and attach hinged portion to velcro attached to back of light box frame.

Step 2: Place light bars on velcro strips. Please note as every graphic is different some position adjustment may need to be made for optimum results.



Step 3: Using magnetic tape place graphic onto inside flange of frame.

* Note: Your reflector panel may have more than two velcro light strips

866.652.2100


Item Number	Description
1	15" h Curved Panel
2	15" h 90° Connector
3	15" h Curved Panel
4	15" h T-Connecto
12	15" h T-Connector
16	15" h T-Connector
22	15" h T-Connector
23	15" h Curved Panel
24	15" h 90° Connector
25	15" h Curved Panel

Steps:
Connect panels together in numerical order as shown in illustrations.




12 □

□ 16



Header Assembly



Insert Splice Bars into one half of Header Frame and secure with Thumbscrews as shown.

Slide second half of Header Frame over Splice Bars and secure with supplied Thumbscrews.

When attaching Header onto Connectors on the Backwall make sure Thumbscrews are facing to back of booth.

Attach Lights and Headers to Backwall as shown, insert ceiling to rest atop lip on Header and pins on backwall.

Custom Header Frame hooks to Back wall

Set Counters atop assembled Alcoves

Set Counters atop assembled Alcoves

