


Perfect 10 Hybrid Displays



WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING

866.652.2100

| Part Number | Qty for Step | Description |
|-------------|--------------|-----------------------|
| 1 | 1 | Left Leg Assembly |
| 2 | 1 | Middle Leg Assembly |
| 3 | 1 | Right Leg Assembly |
| 4 | 3 | Upper Curved Vertical |
| 5 | 2 | 23" w Horizontal |
| 6 | 2 | 69" w Horizontal |





Steps:

NOTE: Assembly may be easiest if assembled face down on floor then lifted upright.

- 1) Connect vertical extrusions [4] to leg assemblies [1 - 3] as shown.
- 2) Connect horizontal extrusions [5, 6 and 7] between vertical assemblies by slightly tightening BLACK knobs on backside of extrusion as shown.

NOTE: Make sure Velcro faces toward back and knobs face horizontally as shown in detail.

**** Various Accessories Available ****



WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING

866.652.2100

Accessory Header Attachment




Accessory Wing Attachment




Attach decorative wing by attaching A10's into groove.

Wing Attachment


Slide A10 Clamp into groove of square extrusion.



When desired location is found, tighten set screw to secure.




Tighten black plastic set screw to secure Wing in place.



Accessory Blade Attachment



Attach decorative blade by attaching A10's into groove.




Accessory Attachment



Shelf attaches to section 3 by setting atop pins located on right side and securing into place with thumbscrew on left.

Accessory Attachment



Shelf attaches to back of sections 1 and 2 by setting atop pins located on back left side.


Pins



When attaching counter you will need to first slide shelf onto back pin then set down on front pin.

WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING


Case #1 - Backwall Components



WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING

Case #2 - Backwall Components

Top View of each Level



WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING