



Perfect 10 Hybrid Displays



WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING

Part Number	Description
1	Left Leg Assembly
2	Middle Leg Assembly
3	Upper Curved Vertical
4	Upper Curved Vertical
5	23" w Horizontal
6/6a	Side Assembly
7/7a	Side Assembly
8	Lower Horizontal Extrusion
9	Upper Horizontal Extrusion

NOTE: When assembling horizontals they should be placed approximately one inch from TOP and BOTTOM.



Step 1



Step 1:

NOTE: Can be assembled either face down on floor then lifted upright or upright as shown in drawings.




- A) Connect vertical leg assemblies [1 and 2] together by connecting horizontal extrusions [5] between assemblies tightening BLACK knobs on backside of extrusion making sure Velcro faces toward BACK and placing it about one inch up from bottom and tightening.
- B) Connect vertical extrusions [3 and 4] to leg assemblies [1 and 2] using vertical connection bar as shown.
- C) Connect upper horizontal extrusion [5] between verticals [3 and 4] placing it atop stoppers.
- D) Attach side assemblies [6/6a and 7/7a] to leg assemblies [1 and 2] making sure inserts are in place as shown, then connect horizontal extrusion [8] into grooves of curve extrusions [6 and 7].
- E) Slide infill between curve extrusions [6 and 7] and atop extrusion [8].
- F) Attach upper horizontal extrusion [9] between curve extrusions [6 and 7] and atop insert.

NOTE: Make sure the lock is flush with extrusion before tightening. If lock will not fully engage, gently rock lock and extrusion while turning knob until lock fully opens.




Rear View of Display



STAR indicates location of knobs on BACKSIDE of unit.

Extrusions 6&6a and 7&7a must stay assembled when shipping in case



WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING

866.652.2100

Part Number	Description
10	Middle Leg Assembly
11	Upper Curved Vertical
12	69" w Horizontal w/ Hinge Facing UP
13	69" w Horizontal w/ Hinge Facing DOWN

NOTE: When assembling horizontals they should be placed approximately one inch from TOP and BOTTOM.




Step 2:


NOTE: Can be assembled either face down on floor then lifted upright or upright as shown in drawings.

- A) Connect vertical extrusion [11] to leg assembly [10] using vertical connection bar as shown.
- B) Connect horizontal extrusions [12 and 13] between vertical assemblies by tightening BLACK knobs on backside of extrusion making sure Velcro faces toward BACK.


NOTE: Make sure the lock is flush with extrusion before tightening. If lock will not fully engage, gently rock lock and extrusion while turning knob until lock fully opens.






Rear View of Display



STAR indicates location of knobs on BACKSIDE of unit.



WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING








WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING

Part Number	Qty for Step	Description
14	4	41.9257" h Curved Vertical extrusion
15	2	16" Horizontal extrusion
16	2	21.126" Horizontal extrusion
17	2	16" Horizontal extrusion
18	2	37.462" Horizontal extrusion w/ support for internal shelf
19	2	16" Horizontal extrusion
20	2	40" Horizontal extrusion

Steps

- 1) Connect horizontal extrusions [15 and 16] between vertical extrusions [14].
- 2) Place lower inserts as shown.
- 3) Connect horizontal extrusions [17 and 18] between vertical extrusions [14] and atop inserts.
- 4) Set internal shelf into place.
- 5) Slide Top front and side inserts into place as indicated.
- 6) Connect horizontal extrusions [19 and 20] between vertical extrusions [14] and atop inserts.
- 7) Attach plex piece to assembled pedestal using Stand-off Caps as shown.
- 8) Place counter atop assembled pedestal.


866.652.2100




WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING

Case #1 - Backwall Components


Top View of each Level




Level 7




Level 6




Level 5




Level 4



Level 3




Level 2



Level

WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING

Pedestal Components



WHEN DISASSEMBLING TIGHTEN ALL KNOBS TO PREVENT LOSS DURING SHIPPING