



Perfect 10 Hybrid Displays




Plan View



WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING

Part Number	Description
10	Left Leg Assembly
11	Right Leg Assembly
12	Upper Left Curved Vertical
13	Upper Right Curved Vertical
14	23" w Horizontal
15	23" w Stabilizing Bar



Step 1:

NOTE: Can be assembled either face down on floor then lifted upright or upright as shown in drawings.


- A) Connect vertical leg assemblies [10 and 11] together by connecting horizontal extrusion [14] between assemblies tightening BLACK knobs on backside of extrusion making sure Velcro faces toward BACK and placing it about one inch up from bottom and tightening.
- B) Connect vertical extrusions [12 and 13] to leg assemblies [10 and 11] using vertical connection bar as shown.
- C) Connect horizontal extrusions [14 and 15] between vertical assemblies [10/12 and 11/13] as shown, lower horizontal [14] should be about one inch down from top.

NOTE: Make sure the lock is flush with extrusion before tightening. If lock will not fully engage, gently rock lock and extrusion back and forth while turning knob until lock fully opens.

Rear View of Display




STAR indicates location of knobs on BACKSIDE of unit.




Black Knob

Turn Knob Clockwise to Tighten Lock

Step 1



NOTE: When assembling horizontals they should be placed approximately one inch from TOP and BOTTOM.




Graphic Attachment
Attach graphic to Velcro located on back of assembled banner stand.

Slide Connection Bar into lower leg assembly. Slide upper vertical over bar and secure both.

WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING


Note: Lit Rack may be moved or removed to allow for Monitor to be adjusted.

Literature Rack Attachment




Tighten Lock to Secure

Attach connector piece to rack as shown. Then connect assembled literature rack to vertical extrusion.



Note: Monitor Support Bar is adjustable to move up or down as desired. (included is a Tilt Mount to allow for Monitor Mobility)

Monitor Mount Attachment




Connect Monitor Mount back plate to extrusions 15 then slide top plate attached to Monitor and tighten screws to secure.

extrusion 15

Monitor Back Plate


Shelf Attachment

Slide A10 Clamp into groove of square extrusion.




A10

When desired location is found, tighten set screw to secure.




Set-Screw

Tighten plastic knob to secure shelf in place.



Knob

Accessory Attachment



Shelf attaches to back of sections 1 and 2 by setting atop pins located on back left side.


WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING

Case #1 - Banner Stand Components


Top View of each Level

Literature Rack
QTY. 1


Graphics
QTY. 1
&
Setup Hardware




Level 1



Level 2



Level 3



Level 4

WHEN DISASSEMBLING ALUMINUM EXTRUSION, TIGHTEN ALL SETSCREWS AND LOCKS TO PREVENT LOSS DURING SHIPPING