


## Backwall Graphic Dimensions



**LIVE AREA: 116.864" x 86"**  
**CANVAS SIZE: 124.864" X 94"**

NOTE: Graphic files must be @ 150 dpi Finished Size.  
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.


Product Name: VK-1316

Process: HD Dye Sub

Material: Poly Knit 9

Effective Date: 6/21/2012

MOD-1184 Front Sign  
1/4" Direct to print  
AI Cut File available upon request



Give 1" Bleed around .4" diameter for stand off caps

**!!!! Test Frames will need to be sent to Optima for Test fitting !!!!**  
**Extend background color or image to fill CANVAS SIZE for extra bleed**  
**Mural dimensions are available upon request**

**\*\*NOTE: Test frames may be required for guaranteed fitting of graphics\*\***



*Pedestal Graphic Dimensions*

Product Name: VK-2118
Process: Print-on-it
Material: 6mm Sintra
Effective Date: 6/18/2012

NOTE: Graphic files must be @ 150 dpi Finished Size.  
*DO NOT* send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

**\*\*NOTE: Test frames may be required for guaranteed fitting of graphics\*\***



*Backwall Graphic Dimensions*

Product Name: VK-2118
Process: HD
Material: Poly Knit 9
Effective Date: 6/18/2012

NOTE: Graphic files must be @ 150 dpi Finished Size.  
*DO NOT* send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

**\*\*NOTE: Test frames may be required for guaranteed fitting of graphics\*\***



*Backwall Graphic Dimensions*

Product Name: VK-2118
Process: HD
Material: Poly Knit 9
Effective Date: 6/18/2012

NOTE: Graphic files must be @ 150 dpi Finished Size.  
*DO NOT* send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

**\*\*NOTE: Test frames may be required for guaranteed fitting of graphics\*\***



*Backwall Graphic Dimensions*

Product Name: VK-2118
Process: HD
Material: Poly Knit 9
Effective Date: 6/18/2012

NOTE: Graphic files must be @ 150 dpi Finished Size.  
*DO NOT* send Flattened Files. Production can not manipulate  
the content, proportion or color of these files.

**\*\*NOTE: Test frames may be required for guaranteed fitting of graphics\*\***