


Product Name: Perfect 20
Process: HD
Material: Poly Knit 9
Effective Date: 09/23/2014

*Note: Graphics need to be notched around legs and knobs.
Optima Graphics has Test Frames in Stock for graphic fitting and notching.*

p20 Backwall Graphic Dims for VK-1803



Live Area: 22.75"w x 95"h
with 0.5" bleed TOP
0.75" bleed SIDES
Finished Size: 24.25"w x 96"h

Sew hook Velcro into front
perimeter of graphic

Live Area: 69.25"w x 95"h
with 0.5" bleed around perimeter
Finished Size: 70.25"w x 96"h

Sew hook Velcro into front
perimeter of graphic

Live Area: 22.75"w x 95"h
with 0.5" bleed TOP & BOTTOM
0.75" bleed SIDES
Finished Size: 24.25"w x 96"h

Sew hook Velcro into front
perimeter of graphic

Live Area: 69.25"w x 95"h
with 0.5" bleed around perimeter
Finished Size: 70.25"w x 96"h

Sew hook Velcro into front
perimeter of graphic


Live Area: 22.75"w x 95"h
with 0.5" bleed TOP
0.75" bleed SIDES
Finished Size: 24.25"w x 96"h

Sew hook Velcro into front
perimeter of graphic

**NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate
the content, proportion or color of these files.**

****NOTE: Test frames may be required for guaranteed fitting of graphics****




*Note: Graphics need to be notched around legs and knobs.
Optima Graphics has Test Frames in Stock for graphic fitting and notching.*



NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

****NOTE: Test frames may be required for guaranteed fitting of graphics****

*Note: Graphics need to be notched around legs and knobs.
 Optima Graphics has Test Frames in Stock for graphic fitting and notching.*




NOTE: Graphic files must be @ 150 dpi Finished Size.
DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

****NOTE:** Test frames may be required for guaranteed fitting of graphics**


Product Name: Perfect 20
Process: Direct Print
Material: 1/4" Sintra
Effective Date: 03/12/2014

Examples of P10 Backwall Left Side Graphic Dims with Headers


A small portion of your graphic(s) may be hidden by P10 accessories, such as Headers. Please use these diagrams to position your graphics correctly.



Note: When using Headers with the P10 unit a portion of the graphics will be covered. Please design graphic layout according to desired Header shape.



Note: When using Headers with the P10 unit a portion of the graphics will be covered. Please design graphic layout according to desired Header shape.




Note: When using Headers with the P10 unit a portion of the graphics will be covered. Please design graphic layout according to desired Header shape.


NOTE: Graphic files must be @ 150 dpi Finished Size. DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

Note: Please refer to Backwall Graphic Dims page for complete instructions for Left Side fabric graphic.

Product Name: Perfect 20
Process: HD
Material: Poly Knit 9
Effective Date: 09/23/2014



OR



* Note: When adding Monitors to the P10 unit, a portion of the graphic will be covered. Please design graphic layout according to desired Monitor Location.

See Header Graphic Dims for header locations.

* Note: When adding a Cubby to the P10 unit, a portion of the graphic will be covered.

See Header Graphic Dims for header locations.

NOTE: Graphic files must be @ 150 dpi Finished Size. DO NOT send Flattened Files. Production can not manipulate the content, proportion or color of these files.

Note: Please refer to Backwall Graphic Dims page for complete instructions for Left Side fabric graphic.