

### Order #XXXXX MOD-1561 Monitor Stand

tem	Qty.	Description
1	1	38" GS210 Vertical Extrusion
2	1	38" S30 Vertical Extrusion
3	1	38" S30 Vertical Extrusion
4	2	18.8496" Z45 Curved Extrusion
5	1	21.7196" Z45 Curved Extrusion
6	2	18.8496" Z45 Curved Extrusion
7	1	21.7196" Z45 Curved Extrusion
8	1	36" S44 Vertical Extrusion





### Steps:


- 1) Attach [4] and [5] between [1] [2] and [3].
- 2) Slide floor between [1] [2] and [3] to rest on [4] and [5].
- 3) Insert pins into [1] [2] and [3] where shown.
- 4) Slide shelf between [1] [2] and [3] to rest on pins.
- 5) Slide infill between [2] and [3].
- 6) Attach [6] and [7] between [1] [2] and [3] to secure infill.
- 7) Lock counter top to [6]. See Counter Top Lock detail.
- 8) Attach [8] to counter top, using bolt.


Infill


Shelf

Floor


- 9) Attach monitor mount to [8]. See Monitor Mount detail.
- 10) Attach monitor to mount then route monitor cord thru conduit. See Cord Management detail.




















groove of extrusion.





## General Setup Instructions


- Read entire setup instruction manual prior to unpacking parts and pieces.
- The setup instructions are created specifically for this configuration.
- Setup instructions are laid out sequentially in steps, including exploded views with detailed explanation for assembly.




- For Cleaning Metal, Plex, & Laminate Parts: Use a MILD NON-ABRASIVE cleanser and soft cloth/paper towel to clean all surfaces.
- Keep exhibit components away from heat and prolonged sun exposure. Heat and UV exposure will warp and fade components.
- Retain all provided Packing Materials. All provided packing materials are for ease of repacking & component protection.

## Disassembly

- For loss prevention, tighten all set screws and locks during disassembly.




Hex Tool - Essential for Assembly




Part Identification - Numbering



# MARNING



Spline Connection




Base Plate & Extrusion Connection




DO NOT USE POWER TOOLS



LADDERS OR LIFTS MAY BE REQUIRED



Extrusion & Lock Connection



**Engaged Lock** 



**ALL CONNECTIONS MUST** BE TIGHTLY SECURED